ELSEVIER

Thin Solid Films 273 (1996) 339–340

thin Solid films

Author Index of Volume 273

Abe, H., 240
Aiyer, H.N., 132
Akagi, T., 214
Andoh, Y., 105
Aoki, D., 168, 279, 322
Arai, T., 322
Asai, N., 97
Ataka, T., 154, 327, 331, 335

Batzel, D.A., 229
Bleyer, A., 39
Bradley, D.D.C., 39

Chiang, C.W., 90
Chiba, N., 154, 327, 331, 335
Clark, T.R., 229

Delamarche, E., 54
Do, L.-M., 202, 209
Donovan, K.J., 229

Ebara, Y., 61
Elliott, J.E., 229

Ferencz, A., 76
Fisher, T.A., 39
Fournier, T., 8
Frank, C.W., 76
Friedenberg, M., 76
Frommer, J.E., 112
Fujihara, M., 154
Fujihira, M., 168, 181, 185, 202, 209, 279, 312, 322, 327, 331, 335
Fujii, A., 199
Fujii, H., 250
Fujisawa, S., 138
Fujiwara, I., 97
Fukuda, A., 254, 267
Fuller, G.G., 76

Govindaraj, A., 132
Grenier, P., 8
Güntherodt, H.J., 149

Hamada, E., 105
Han, E.-M., 202, 209
Hara, M., 66
Hatta, I., 272
Hayamizu, K., 190
Hecht, B., 149, 161
Heinzelmann, H., 149, 161
Hibino, M., 272
Hill, G., 39
Hiraga, T., 190
Hirota, N., 177
Hirotsune, A., 122
Hokari, H., 185
Homma, K., 154, 331, 335
Honma, S., 122
Horiuchi, S., 222
Horiuchi, T., 128
Hosaka, S., 122
Houde, D., 8
Huser, Th., 149

Iizuka, M., 236
Ikazaki, F., 222
Ikushima, A.J., 35
Imai, Y., 214, 254, 258
Ishibashi, T., 97
Ishida, K., 240
Ishii, H., 20
Ishikawa, K., 267
Itadera, K., 236
Itoi, M., 128
Iwami, N., 128

Jarvis, S.P., 284
Jikei, M., 214, 258

Kaito, A., 263
Kajikawa, K., 254
Kajiyama, T., 84
Kakimoto, M., 214, 254, 258
Kako, K.-I., 236
Kamei, T., 97
Kameyama, M., 232
Kämmer, S., 122
Kaneko, R., 105, 317
Kaneuchi, Y., 195
Kanno, T., 35
Kato, H., 225
Kato, M., 218
Kato, T., 232
Kawai, A., 308
Kawai, T., 195
Kawano, M., 232
Kenney, M.E., 229
Kishi, E., 138
Kitagawa, Y., 225
Knoll, W., 66
Kobayashi, K., 128
Koike, A., 168, 209
Kondo, S., 297
Koshido, T., 195
Kudo, K., 236
Kuniyoshi, S., 236
Kuri, T., 84
Kuriki, Y., 222
Kusumi, A., 335
Kyotani, M., 222

Lacoste, Th., 149
Lando, J.B., 90
Lemmetyinen, H., 8
Lidzey, D.G., 39

Maeda, A., 35
Maruyama, T., 76
Masai, J., 289, 297
Matsuda, H., 218
Matsushige, K., 128
Matsuura, K., 61
Michel, B., 54
Misaki, Y., 267
Miyamoto, M., 122
Miyamoto, T., 105
Mizutani, W., 70, 143, 304
Mori, T., 267
Morita, S., 138
Moriya, T., 190
Motomatsu, M., 70, 143, 304
Muramastu, H., 327
Muramatsu, H., 154, 331, 335
Murayama, H., 289

Nakagawa, M., 240
Nakagiri, N., 245
Nakajima, K., 154, 327, 331, 335
Nie, H.-Y., 143, 304
Nishimura, K., 27
Noma, N., 177
Nomura, S., 27
Novotny, L., 161

O'Brien, D., 39
Ogata, N., 240
Ohmori, Y., 199
Ohshima, S., 222
Ohta, M., 138
Ohta, S., 335
Oishi, Y., 84
Okabe, Y., 322
Okahata, Y., 61
Oyamada, M., 209

Pate, M.A., 39
Pethica, J.B., 284
Pohl, D.W., 149, 161
Putman, C., 317

Rao, C.N.R., 132
Rikukawa, M., 240
Robertson, C.R., 76

Saiki, H., 250
Sakomura, M., 168, 181
Sano, K., 289
Sanui, K., 240
Sasabe, H., 66
Sasaki, K., 289
Scott, K., 229
Segawa, H., 14
Seki, K., 20
Seshadri, R., 132
Seto, J., 97
Shibata-Seki, T., 289, 297
Shimazu, K., 250
Shimidzu, T., 14
Shintani, T., 122
Shirota, Y., 27, 177
Shitamori, E., 128
Skolnick, M.S., 39
Sorin, T., 297
Sugawara, Y., 138
Sugimura, H., 245
Sumi, A., 272
Sumimoto, S., 218
Suwa, T., 258
Suzuki, M., 250

Tagawa, T., 297
Tajbakhsh, A., 39
Takahashi, T., 267
Takahashi, Y., 214
Takano, H., 312
Takechi, M., 250
Takemura, S., 225
Takezoe, H., 254, 267
Tamura, S., 97
Tanaka, A., 258
Tanaka, K., 236
Tanaka, N., 190
Tani, T., 20
Tanigaki, N., 218, 263
Terao, M., 122
Tkachenko, N., 8
Tokumoto, H., 70, 143, 304
Tran-Thi, T.-H., 8
Truong, K.-D., 8
Tsuzuki, T., 177

Uchida, K., 222
Ueyama, H., 138

Elsevier Science S.A.

Ukishima, S., 214
Ulman, A., 48
Uosaki, K., 250

Wang, H.-Y., 90
Weaver, M.S., 39
Wegner, G., 76
Wilson, E.G., 1, 229
Wu, A., 214

Yamabe, T., 267
Yamada, T., 254
Yamahira, N., 222
Yamamoto, N., 202, 209
Yamanaka, K., 116
Yanagimoto, H., 190
Yase, K., 218, 222, 263
Yasutake, M., 279
Yokoyama, S., 254
Yoneda, K., 258
Yoshida, M., 122, 199
Yoshida, S., 35
Yoshida, Y., 218
Yoshimura, T., 250
Yoshino, K., 195, 199
Yumura, M., 222
Yu Sharonov, A., 8

ELSEVIER

Thin Solid Films 273 (1996) 341–345

Thin Solid Films

Subject Index of Volume 273

Adsorption
guest selective adsorption from the gas phase onto a functional self-assembled monolayer immobilized on a super-sensitive quartz-crystal microbalance, 61
in-situ optical measurement of adsorption of Langmuir–Blodgett films deposited on optical fibers, 236
Alkanes
structure and stability of self-assembled monolayers, 54
Aluminium
morphological change in the degradation of Al electrode surfaces of electroluminescent devices by fluorescence microscopy and AFM, 209
Amorphous materials
charge transport in the glassy state of arylaldehyde and arylketone hydrazones, 27
direct observation of defect-diminished fatty acid monolayers and their optical applications, 84
photomemory effects in electrical and optical properties of photochromic dye in the non-crystalline solid state, 195
Anisotropy
anisotropic optical properties of an organic electroluminescent diode with a periodic multilayer structure, 199
Atomic force microscopy
microwear, 105
scanning probe microscopy of organics, an update, 112
nanoscopic analysis of the conduction mechanism in organic positive temperature coefficient composite materials, 128
contact and non-contact mode imaging by atomic force microscopy, 138
local elasticity measurement on polymers using atomic force microscopy, 143
design and application of scanning near-field optical/atomic force microscopy, 154
scanning probe microscopies for molecular photodiodes, 168
morphological change in the degradation of Al electrode surfaces of electroluminescent devices by fluorescence microscopy and AFM, 209
two-dimensional micronodule structure in monolayers of a partially fluorinated long-chain acid observed by atomic force microscopy, 232
surface structure and orientation of polyamic acid alkylamine salt Langmuir–Blodgett films having an azobenzene pendant unit, 254
surface potential measurements using the Kelvin probe force microscope, 279
comparison of hydrophobic modifying layers on SiO_2 studied with a force-controlled atomic force microscope, 284
scanning force microscopy characterization of thin lipid films on a substrate, 289
in-situ atomic force microscopy study of lipid vesicles adsorbed on a substrate, 297
scanning force microscopy application to polymer surfaces for novel nanoscale surface characterization, 304
measuring the thermal properties of photoresist thin films using atomic force microscopy, 308
AFM microlithography of a thin chromium film covered with a thin resist Langmuir–Blodgett (LB) film, 312
experimental observation of single-asperity friction at the atomic scale, 317
analysis of surface forces on oxides in aqueous solutions using AFM, 322
optical processing by scanning near-field optical/atomic force microscopy, 327
resolution of an optical image of a scanning near-field optical/atomic force microscope as a function of sample–probe distance during synchronized irradiation, 331
scanning near-field optic/atomic force microscopy in liquids, 335
Atomic force spectroscopy
crystallization of organic thin films for electroluminescent devices, 202

Band structure
valence and conduction band edges of metal-phthalocyanines and carrier behavior, 35
Biomaterials
scanning force microscopy characterization of thin lipid films on a substrate, 289
in-situ atomic force microscopy study of lipid vesicles adsorbed on a substrate, 297
scanning near-field optic/atomic force microscopy in liquids, 335

Cadmium
two-dimensional micronodule structure in monolayers of a partially fluorinated long-chain acid observed by atomic force microscopy, 232
Carbon
nanoscopic analysis of the conduction mechanism in organic positive temperature coefficient composite materials, 128
fullerenes and other carbon forms: studies by STM and cognate techniques, 132
angular-resolved EELS of a carbon nanotube, 222
Chromium
AFM microlithography of a thin chromium film covered with a thin resist Langmuir–Blodgett (LB) film, 312
Computer simulation
ultraviolet photoemission spectroscopy studies of conducting polymer polypyrrole: dopant effect on a conjugated polymer system, 225
Conductivity
nanoscopic analysis of the conduction mechanism in organic positive temperature coefficient composite materials, 128
ultraviolet photoemission spectroscopy studies of conducting polymer polypyrrole: dopant effect on a conjugated polymer system, 225
high conducting Langmuir–Blodgett films comprising head-to-tail poly(3-hexylthiophene), 240
surface potential measurements using the Kelvin probe force microscope, 279

Elsevier Science S.A.

Crystallization
crystallization of organic thin films for electroluminescent devices, 202

Deposition process
properties and application of organic dye associates in polymer matrices, 190
Diamond
microwear, 105
comparison of hydrophobic modifying layers on SiO_2 studied with a force-controlled atomic force microscope, 284

Electrical properties and measurements
local elasticity measurement on polymers using atomic force microscopy, 143
Electroluminescence
new fluorescent polyimides for electroluminescent devices based on 2,5-distyrylpyrazine, 214
Electron diffraction
structural investigation of gas sensing Langmuir–Blodgett films of phthalocyanine ($(C_6H_{13})_3SiOSiPcOGePcOH$), 90
Electron energy loss spectroscopy
angular-resolved EELS of a carbon nanotube, 222
Epitaxy
functional organic ultra-thin films for device applications, 97
aggregation mechanism of triphenyldiamine, 218
Etching
etching and restoration of molecular layers in organic metals by means of scanning tunneling microscopy, 267
AFM microlithography of a thin chromium film covered with a thin resist Langmuir–Blodgett (LB) film, 312
Evaporation
measuring the thermal properties of photoresist thin films using atomic force microscopy, 308

Fullerene
fullerenes and other carbon forms: studies by STM and cognate techniques, 132

Glass
charge transport in the glassy state of arylaldehyde and arylketone hydrazones, 27
Glow discharge
novel plasma polymerization system using a d.c. glow discharge, 258
Gold
structure and stability of self-assembled monolayers, 54
ordered nucleation of a self-assembled monolayer on Au(111) studied by scanning tunneling microscopy, 66
scanning tunneling microscopy of dibutylamino-triazine-dithiol monolayer on Au(111), 70
organic monolayer spontaneously formed on spatially arranged nanostructures of silicon oxide and gold, 245
formation and characterization of thiol-derivatized zinc(II) porphyrin monolayers on gold, 250
Graphite
UFM observation of lattice defects in highly oriented pyrolytic graphite, 116
angular-resolved EELS of a carbon nanotube, 222
molecular motion at domain boundaries in fatty acid monolayers on graphite observed by scanning tunneling microscopy, 272
Growth mechanism
aggregation mechanism of triphenyldiamine, 218

Hardness
measuring the thermal properties of photoresist thin films using atomic force microscopy, 308
Herringbone construction
ordered nucleation of a self-assembled monolayer on Au(111) studied by scanning tunneling microscopy, 66
Heterostructures
photophysical, photoelectrical and non-linear optical properties of porphyrin–phthalocyanine assemblies in Langmuir–Blodgett films, 8

Interfaces
electronic structures of organic–inorganic interfaces studied by UV photoemission, 20
in-situ studies of flow-induced phenomena in Langmuir monolayers, 76

Langmuir–Blodgett
in-situ optical measurement of adsorption of Langmuir–Blodgett films deposited on optical fibers, 236
Langmuir–Blodgett films
control of electron transfer in nanostructures assembled by the Langmuir–Blodgett technique, 1
photophysical, photoelectrical and non-linear optical properties of porphyrin–phthalocyanine assemblies in Langmuir–Blodgett films, 8
in-situ studies of flow-induced phenomena in Langmuir monolayers, 76
direct observation of defect-diminished fatty acid monolayers and their optical applications, 84
structural investigation of gas sensing Langmuir–Blodgett films of phthalocyanine ($(C_6H_{13})_3SiOSiPcOGePcOH$), 90
scanning probe microscopies for molecular photodiodes, 168
photoelectric conversion by an A–S–D triad monolayer covered with a protective monolayer, 181
properties of Langmuir monolayers of newly synthesized sensitizer–donor dyads containing a naphthalene and a ferrocene moiety, 185
new fluorescent polyimides for electroluminescent devices based on 2,5-distyrylpyrazine, 214
electron tunnelling rates as a function of intermolecular distance, measured in a Langmuir–Blodgett assembly, 229
high conducting Langmuir–Blodgett films comprising head-to-tail poly(3-hexylthiophene), 240
surface structure and orientation of polyamic acid alkylamine salt Langmuir–Blodgett films having an azobenzene pendant unit, 254
surface potential measurements using the Kelvin probe force microscope, 279
AFM microlithography of a thin chromium film covered with a thin resist Langmuir–Blodgett (LB) film, 312
Lattice parameters
UFM observation of lattice defects in highly oriented pyrolytic graphite, 116
Light scattering
instrumental developments and recent experiments in near-field optical microscopy, 149
Luminescence
valence and conduction band edges of metal-phthalocyanines and carrier behavior, 35
recent progress in polymers for electroluminescence: microcavity devices and electron transport polymers, 39
anisotropic optical properties of an organic electroluminescent diode with a periodic multilayer structure, 199
crystallization of organic thin films for electroluminescent devices, 202
morphological change in the degradation of Al electrode surfaces of electroluminescent devices by fluorescence microscopy and AFM, 209
oriented films of insoluble polymers by the friction technique, 263

Magnetic structures
functional organic ultra-thin films for device applications, 97

Metals
etching and restoration of molecular layers in organic metals by means of scanning tunneling microscopy, 267
Mica
experimental observation of single-asperity friction at the atomic scale, 317
Monolayers
wetting studies of molecularly engineered surfaces, 48
structure and stability of self-assembled monolayers, 54
guest selective adsorption from the gas phase onto a functional self-assembled monolayer immobilized on a super-sensitive quartz-crystal microbalance, 61
ordered nucleation of a self-assembled monolayer on Au(111) studied by scanning tunneling microscopy, 66
scanning tunneling microscopy of dibutylamino-triazine-dithiol monolayer on Au(111), 70
in-situ studies of flow-induced phenomena in Langmuir monolayers, 76
direct observation of defect-diminished fatty acid monolayers and their optical applications, 84
scanning probe microscopy of organics, an update, 112
photoelectric conversion by an A–S–D triad monolayer covered with a protective monolayer, 181
properties of Langmuir monolayers of newly synthesized sensitizer–donor dyads containing a naphthalene and a ferrocene moiety, 185
two-dimensional micronodule structure in monolayers of a partially fluorinated long-chain acid observed by atomic force microscopy, 232
high conducting Langmuir–Blodgett films comprising head-to-tail poly(3-hexylthiophene), 240
organic monolayer spontaneously formed on spatially arranged nanostructures of silicon oxide and gold, 245
formation and characterization of thiol-derivatized zinc(II) porphyrin monolayers on gold, 250
molecular motion at domain boundaries in fatty acid monolayers on graphite observed by scanning tunneling microscopy, 272
Multilayers
structural investigation of gas sensing Langmuir–Blodgett films of phthalocyanine ($((C_8H_{13})_3SiOSiPcOGePcOH)$), 90
photoelectrical conversion of p–n heterojunction devices using thin films of titanyl phthalocyanine and a perylene pigment, 177
anisotropic optical properties of an organic electroluminescent diode with a periodic multilayer structure, 199
electron tunnelling rates as a function of intermolecular distance, measured in a Langmuir–Blodgett assembly, 229

Nanostructures
control of electron transfer in nanostructures assembled by the Langmuir–Blodgett technique, 1
scanning near-field optical microscope with a laser diode and nanometer-sized bit recording, 122
fullerenes and other carbon forms: studies by STM and cognate techniques, 132
instrumental developments and recent experiments in near-field optical microscopy, 149
design and application of scanning near-field optical/atomic force microscopy, 154
radiation coupling and image formation in scanning near-field optical microscopy, 161
scanning probe microscopies for molecular photodiodes, 168
angular-resolved EELS of a carbon nanotube, 222
organic monolayer spontaneously formed on spatially arranged nanostructures of silicon oxide and gold, 245
optical processing by scanning near-field optical/atomic force microscopy, 327
Nitrogen
recent progress in polymers for electroluminescence: microcavity devices and electron transport polymers, 39

Optical properties
photophysical, photoelectrical and non-linear optical properties of porphyrin–phthalocyanine assemblies in Langmuir–Blodgett films, 8
scanning near-field optical microscope with a laser diode and nanometer-sized bit recording, 122
design and application of scanning near-field optical/atomic force microscopy, 154
radiation coupling and image formation in scanning near-field optical microscopy, 161
anisotropic optical properties of an organic electroluminescent diode with a periodic multilayer structure, 199
in-situ optical measurement of adsorption of Langmuir–Blodgett films deposited on optical fibers, 236
surface structure and orientation of polyamic acid alkylamine salt Langmuir–Blodgett films having an azobenzene pendant unit, 254
optical processing by scanning near-field optical/atomic force microscopy, 327
resolution of an optical image of a scanning near-field optical/atomic force microscope as a function of sample–probe distance during synchronized irradiation, 331
scanning near-field optic/atomic force microscopy in liquids, 335
Optical spectroscopy
scanning near-field optical microscope with a laser diode and nanometer-sized bit recording, 122
instrumental developments and recent experiments in near-field optical microscopy, 149
formation and characterization of thiol-derivatized zinc(II) porphyrin monolayers on gold, 250
novel plasma polymerization system using a d.c. glow discharge, 258
oriented films of insoluble polymers by the friction technique, 263
Organic substances
porphyrin arrays connected with molecular wire, 14
electronic structures of organic–inorganic interfaces studied by UV photoemission, 20
charge transport in the glassy state of arylaldehyde and arylketone hydrazones, 27
valence and conduction band edges of metal-phthalocyanines and carrier behavior, 35
recent progress in polymers for electroluminescence: microcavity devices and electron transport polymers, 39
guest selective adsorption from the gas phase onto a functional self-assembled monolayer immobilized on a super-sensitive quartz-crystal microbalance, 61
scanning tunneling microscopy of dibutylamino-triazine-dithiol monolayer on Au(111), 70
functional organic ultra-thin films for device applications, 97
scanning probe microscopy of organics, an update, 112
photoelectrical conversion of p–n heterojunction devices using thin films of titanyl phthalocyanine and a perylene pigment, 177
properties of Langmuir monolayers of newly synthesized sensitizer–donor dyads containing a naphthalene and a ferrocene moiety, 185
properties and application of organic dye associates in polymer matrices, 190
photomemory effects in electrical and optical properties of photochromic dye in the non-crystalline solid state, 195
crystallization of organic thin films for electroluminescent devices, 202
aggregation mechanism of triphenyldiamine, 218
ultraviolet photoemission spectroscopy studies of conducting polymer polypyrrole: dopant effect on a conjugated polymer system, 225
electron tunnelling rates as a function of intermolecular distance, measured in a Langmuir–Blodgett assembly, 229

in-situ optical measurement of adsorption of Langmuir–Blodgett films deposited on optical fibers, 236
organic monolayer spontaneously formed on spatially arranged nanostructures of silicon oxide and gold, 245
formation and characterization of thiol-derivatized zinc(II) porphyrin monolayers on gold, 250
novel plasma polymerization system using a d.c. glow discharge, 258
etching and restoration of molecular layers in organic metals by means of scanning tunneling microscopy, 267
comparison of hydrophobic modifying layers on SiO_2 studied with a force-controlled atomic force microscope, 284
scanning force microscopy characterization of thin lipid films on a substrate, 289
in-situ atomic force microscopy study of lipid vesicles adsorbed on a substrate, 297

Phase transitions
scanning near-field optical microscope with a laser diode and nanometer-sized bit recording, 122
Phosphorus porphyrins
porphyrin arrays connected with molecular wire, 14
Photoconductivity
control of electron transfer in nanostructures assembled by the Langmuir–Blodgett technique, 1
Photoelectron spectroscopy (PES)
electronic structures of organic–inorganic interfaces studied by UV photoemission, 20
Photoluminescence
new fluorescent polyimides for electroluminescent devices based on 2,5-distyrylpyrazine, 214
Photovoltage
scanning probe microscopies for molecular photodiodes, 168
photoelectrical conversion of p–n heterojunction devices using thin films of titanyl phthalocyanine and a perylene pigment, 177
Physical vapour deposition
aggregation mechanism of triphenyldiamine, 218
Plasma processing and deposition
novel plasma polymerization system using a d.c. glow discharge, 258
Polyimide
new fluorescent polyimides for electroluminescent devices based on 2,5-distyrylpyrazine, 214
Polymers
porphyrin arrays connected with molecular wire, 14
charge transport in the glassy state of arylaldehyde and arylketone hydrazones, 27
recent progress in polymers for electroluminescence: microcavity devices and electron transport polymers, 39
in-situ studies of flow-induced phenomena in Langmuir monolayers, 76
nanoscopic analysis of the conduction mechanism in organic positive temperature coefficient composite materials, 128
local elasticity measurement on polymers using atomic force microscopy, 143
properties and application of organic dye associates in polymer matrices, 190
high conducting Langmuir–Blodgett films comprising head-to-tail poly(3-hexylthiophene), 240
oriented films of insoluble polymers by the friction technique, 263
scanning force microscopy application to polymer surfaces for novel nanoscale surface characterization, 304
Pyrolysis
UFM observation of lattice defects in highly oriented pyrolytic graphite, 116

Quartz
guest selective adsorption from the gas phase onto a functional self-assembled monolayer immobilized on a super-sensitive quartz-crystal microbalance, 61

Scanning tunnelling microscopy
structure and stability of self-assembled monolayers, 54
ordered nucleation of a self-assembled monolayer on Au(111) studied by scanning tunneling microscopy, 66
scanning tunneling microscopy of dibutylamino-triazine-dithiol monolayer on Au(111), 70
fullerenes and other carbon forms: studies by STM and cognate techniques, 132
etching and restoration of molecular layers in organic metals by means of scanning tunneling microscopy, 267
molecular motion at domain boundaries in fatty acid monolayers on graphite observed by scanning tunneling microscopy, 272
resolution of an optical image of a scanning near-field optical/atomic force microscope as a function of sample–probe distance during synchronized irradiation, 331
Second harmonic generation (nth HG)
surface structure and orientation of polyamic acid alkylamine salt Langmuir–Blodgett films having an azobenzene pendant unit, 254
Sensors
structural investigation of gas sensing Langmuir–Blodgett films of phthalocyanine ($((C_6H_{13})_3SiOSiPcOGePcOH$), 90
Silicon
microwear, 105
analysis of surface forces on oxides in aqueous solutions using AFM, 322
Silicon dioxide
comparison of hydrophobic modifying layers on SiO_2 studied with a force-controlled atomic force microscope, 284
Silicon oxide
organic monolayer spontaneously formed on spatially arranged nanostructures of silicon oxide and gold, 245
Solar cells
photoelectrical conversion of p–n heterojunction devices using thin films of titanyl phthalocyanine and a perylene pigment, 177
photoelectric conversion by an A–S–D triad monolayer covered with a protective monolayer, 181
Structural properties
electron tunnelling rates as a function of intermolecular distance, measured in a Langmuir–Blodgett assembly, 229
two-dimensional micronodule structure in monolayers of a partially fluorinated long-chain acid observed by atomic force microscopy, 232
molecular motion at domain boundaries in fatty acid monolayers on graphite observed by scanning tunneling microscopy, 272
Surface and interface states
valence and conduction band edges of metal-phthalocyanines and carrier behavior, 35
wetting studies of molecularly engineered surfaces, 48
analysis of surface forces on oxides in aqueous solutions using AFM, 322
Surface morphology
local elasticity measurement on polymers using atomic force microscopy, 143
morphological change in the degradation of Al electrode surfaces of electroluminescent devices by fluorescence microscopy and AFM, 209
scanning force microscopy characterization of thin lipid films on a substrate, 289

in-situ atomic force microscopy study of lipid vesicles adsorbed on a substrate, 297
resolution of an optical image of a scanning near-field optical/atomic force microscope as a function of sample–probe distance during synchronized irradiation, 331
Surface potential
surface potential measurements using the Kelvin probe force microscope, 279
Surface properties
scanning probe microscopy of organics, an update, 112
Surface roughness
design and application of scanning near-field optical/atomic force microscopy, 154
Surface structure
scanning force microscopy application to polymer surfaces for novel nanoscale surface characterization, 304
optical processing by scanning near-field optical/atomic force microscopy, 327
Transmission electron microscopy
oriented films of insoluble polymers by the friction technique, 263
Tribology
microwear, 105
experimental observation of single-asperity friction at the atomic scale, 317
Tunnelling
control of electron transfer in nanostructures assembled by the Langmuir–Blodgett technique, 1

Wetting
wetting studies of molecularly engineered surfaces, 48
Work function
electronic structures of organic–inorganic interfaces studied by UV photoemission, 20

X-ray photoelectron spectroscopy
ultraviolet photoemission spectroscopy studies of conducting polymer polypyrrole: dopant effect on a conjugated polymer system, 225